

Connectivity

- A (simple) undirected graph is connected if there exists a path between every pair of vertices.
- If a graph is not connected, then $G'(V',E')$ is a connected component of the graph $G(V,E)$ if V' is a maximal subset of vertices from V that induces a connected subgraph. (What is the meaning of maximal?)
- The connected components of a graph correspond to a partition of the set of the vertices. (What is the meaning of partition?)
- How to compute all the connected components?
 - Use DFS or BFS.

Minimum Spanning Tree




Figure 23.1 A minimum spanning tree for a connected graph. The weights on edges are shown, and the edges in a minimum spanning tree are shaded. The total weight of the tree shown is 37. This minimum spanning tree is not unique: removing the edge (b, c) and replacing it with the edge (a, h) yields another spanning tree with weight 37.










Figure 23.4 The execution of Kruskal's algorithm on the graph from Figure 23.1. Shaded edges belong to the forest A being grown. The edges are considered by the algorithm in sorted order by weight. An arrow points to the edge under consideration at each step of the algorithm. If the edge joins two distinct trees in the forest, it is added to the forest, thereby merging the two trees.



Minimum Spanning Tree

MST-KRUSKAL(G, w)

1. $A \leftarrow \emptyset$
2. **for** each vertex $v \in V[G]$
3. **do** MAKE-SET(v)
4. sort the edges of E by nondecreasing weight w
5. **for** each edge $(u, v) \in E$, in order by nondecreasing weight
6. **do if** FIND-SET(u) \neq FIND-SET(v)
7. **then** $A \leftarrow A \cup \{(u, v)\}$
8. UNION(u, v)
9. **return** A




Figure 23.5 The execution of Prim's algorithm on the graph from Figure 23.1. The root vertex is a . Shaded edges are in the tree being grown, and the vertices in the tree are shown in black. At each step of the algorithm, the vertices in the tree determine a cut of the graph, and a light edge crossing the cut is added to the tree. In the second step, for example, the algorithm has a choice of adding either edge (b, c) or edge (a, h) to the tree since both are light edges crossing the cut.


MST-KRUSKAL(G, w)

1. $A \leftarrow \emptyset$
2. **for** each vertex $v \in V[G]$
3. **do** MAKE-SET(v)
4. sort the edges of E by nondecreasing weight w
5. **for** each edge $(u, v) \in E$, in order by nondecreasing weight
6. **do if** FIND-SET(u) \neq FIND-SET(v)
7. **then** $A \leftarrow A \cup \{(u, v)\}$
8. UNION(u, v)
9. **return** A

MST-PRIM(G, w, r)

1. $Q \leftarrow V[G]$
2. **for** each $u \in Q$
3. **do** $key[u] \leftarrow \infty$
4. $key[r] \leftarrow 0$
5. $\pi[r] \leftarrow \text{NIL}$
6. **while** $Q \neq \emptyset$
7. **do** $u \leftarrow \text{EXTRACT-MIN}(Q)$
8. **for** each $v \in \text{Adj}[u]$
9. **do if** $v \in Q$ and $w(u, v) < key[v]$
10. **then** $\pi[v] \leftarrow u$
11. $key[v] \leftarrow w(u, v)$

Proof of Correctness: MST Algorithms






Figure 24.6 The execution of Dijkstra's algorithm. The source s is the leftmost vertex. The shortest-path estimates are shown within the vertices, and shaded edges indicate predecessor values. Black vertices are in the set S , and white vertices are in the min-priority queue $Q = V - S$. (a) The situation just before the first iteration of the **while** loop of lines 4–8. The shaded vertex has the minimum d value and is chosen as vertex u in line 5. (b)–(f) The situation after each successive iteration of the **while** loop. The shaded vertex in each part is chosen as vertex u in line 5 of the next iteration. The d and π values shown in part (f) are the final values.

Dijkstra's Single Source Shortest Path Algorithm

```
DIJKSTRA( $G, w, s$ )
1. // INITIALIZE-SINGLE-SOURCE( $G, s$ )
   for each vertex  $v \in V[G]$ 
       do  $d[v] \leftarrow \infty$ 
           $\pi[v] \leftarrow \text{NIL}$ 
    $d[s] \leftarrow 0$ 
2.  $S \leftarrow \emptyset$ 
3.  $Q \leftarrow V[G]$ 
4. while  $Q \neq \emptyset$ 
5.     do  $u \leftarrow \text{EXTRACT-MIN}(Q)$ 
6.      $S \leftarrow S \cup \{u\}$ 
7.     for each  $v \in \text{Adj}[u]$ 
8.         do // RELAX( $u, v, w$ )
            if  $d[v] > d[u] + w(u, v)$ 
                then  $d[v] \leftarrow d[u] + w(u, v)$ 
                     $\pi[v] \leftarrow u$ 
```

DIJKSTRA(G, w, s)

1. // INITIALIZE-SINGLE-SOURCE(G, s)
 for each vertex $v \in V[G]$
 do $d[v] \leftarrow \infty$
 $\pi[v] \leftarrow \text{NIL}$
 $d[s] \leftarrow 0$
2. $S \leftarrow \emptyset$
3. $Q \leftarrow V[G]$
4. **while** $Q \neq \emptyset$
5. **do** $u \leftarrow \text{EXTRACT-MIN}(Q)$
6. $S \leftarrow S \cup \{u\}$
7. **for** each $v \in \text{Adj}[u]$
8. **do** // RELAX(u, v, w)
 if $d[v] > d[u] + w(u, v)$
 then $d[v] \leftarrow d[u] + w(u, v)$
 $\pi[v] \leftarrow u$

MST-PRIM(G, w, r)

1. $Q \leftarrow V[G]$
2. **for** each $u \in Q$
3. **do** $key[u] \leftarrow \infty$
4. $key[r] \leftarrow 0$
5. $\pi[r] \leftarrow \text{NIL}$
6. **while** $Q \neq \emptyset$
7. **do** $u \leftarrow \text{EXTRACT-MIN}(Q)$
8. **for** each $v \in \text{Adj}[u]$
9. **do if** $v \in Q$ and $w(u, v) < key[v]$
10. **then** $\pi[v] \leftarrow u$
11. $key[v] \leftarrow w(u, v)$

All Pairs Shortest Path Algorithm

- Invoke Dijkstra's SSSP algorithm n times.
- Or use dynamic programming. How?

$$\begin{array}{l}
D^{(0)} = \begin{pmatrix} 0 & 3 & 8 & \infty & -4 \\ \infty & 0 & \infty & 1 & 7 \\ \infty & 4 & 0 & \infty & \infty \\ 2 & \infty & -5 & 0 & \infty \\ \infty & \infty & \infty & 6 & 0 \end{pmatrix} \quad \Pi^{(0)} = \begin{pmatrix} \text{NIL} & 1 & 1 & \text{NIL} & 1 \\ \text{NIL} & \text{NIL} & \text{NIL} & 2 & 2 \\ \text{NIL} & 3 & \text{NIL} & \text{NIL} & \text{NIL} \\ 4 & \text{NIL} & 4 & \text{NIL} & \text{NIL} \\ \text{NIL} & \text{NIL} & \text{NIL} & 5 & \text{NIL} \end{pmatrix} \\
\\
D^{(1)} = \begin{pmatrix} 0 & 3 & 8 & \infty & -4 \\ \infty & 0 & \infty & 1 & 7 \\ \infty & 4 & 0 & \infty & \infty \\ 2 & 5 & -5 & 0 & -2 \\ \infty & \infty & \infty & 6 & 0 \end{pmatrix} \quad \Pi^{(1)} = \begin{pmatrix} \text{NIL} & 1 & 1 & \text{NIL} & 1 \\ \text{NIL} & \text{NIL} & \text{NIL} & 2 & 2 \\ \text{NIL} & 3 & \text{NIL} & \text{NIL} & \text{NIL} \\ 4 & 1 & 4 & \text{NIL} & 1 \\ \text{NIL} & \text{NIL} & \text{NIL} & 5 & \text{NIL} \end{pmatrix} \\
\\
D^{(2)} = \begin{pmatrix} 0 & 3 & 8 & 4 & -4 \\ \infty & 0 & \infty & 1 & 7 \\ \infty & 4 & 0 & 5 & 11 \\ 2 & 5 & -5 & 0 & -2 \\ \infty & \infty & \infty & 6 & 0 \end{pmatrix} \quad \Pi^{(2)} = \begin{pmatrix} \text{NIL} & 1 & 1 & 2 & 1 \\ \text{NIL} & \text{NIL} & \text{NIL} & 2 & 2 \\ \text{NIL} & 3 & \text{NIL} & 2 & 2 \\ 4 & 1 & 4 & \text{NIL} & 1 \\ \text{NIL} & \text{NIL} & \text{NIL} & 5 & \text{NIL} \end{pmatrix} \\
\\
D^{(3)} = \begin{pmatrix} 0 & 3 & 8 & 4 & -4 \\ \infty & 0 & \infty & 1 & 7 \\ \infty & 4 & 0 & 5 & 11 \\ 2 & -1 & -5 & 0 & -2 \\ \infty & \infty & \infty & 6 & 0 \end{pmatrix} \quad \Pi^{(3)} = \begin{pmatrix} \text{NIL} & 1 & 1 & 2 & 1 \\ \text{NIL} & \text{NIL} & \text{NIL} & 2 & 2 \\ \text{NIL} & 3 & \text{NIL} & 2 & 2 \\ 4 & 3 & 4 & \text{NIL} & 1 \\ \text{NIL} & \text{NIL} & \text{NIL} & 5 & \text{NIL} \end{pmatrix} \\
\\
D^{(4)} = \begin{pmatrix} 0 & 3 & -1 & 4 & -4 \\ 3 & 0 & -4 & 1 & -1 \\ 7 & 4 & 0 & 5 & 3 \\ 2 & -1 & -5 & 0 & -2 \\ 8 & 5 & 1 & 6 & 0 \end{pmatrix} \quad \Pi^{(4)} = \begin{pmatrix} \text{NIL} & 1 & 4 & 2 & 1 \\ 4 & \text{NIL} & 4 & 2 & 1 \\ 4 & 3 & \text{NIL} & 2 & 1 \\ 4 & 3 & 4 & \text{NIL} & 1 \\ 4 & 3 & 4 & 5 & \text{NIL} \end{pmatrix} \\
\\
D^{(5)} = \begin{pmatrix} 0 & 1 & -3 & 2 & -4 \\ 3 & 0 & -4 & 1 & -1 \\ 7 & 4 & 0 & 5 & 3 \\ 2 & -1 & -5 & 0 & -2 \\ 8 & 5 & 1 & 6 & 0 \end{pmatrix} \quad \Pi^{(5)} = \begin{pmatrix} \text{NIL} & 3 & 4 & 5 & 1 \\ 4 & \text{NIL} & 4 & 2 & 1 \\ 4 & 3 & \text{NIL} & 2 & 1 \\ 4 & 3 & 4 & \text{NIL} & 1 \\ 4 & 3 & 4 & 5 & \text{NIL} \end{pmatrix}
\end{array}$$

11/15/07

Figure 25.4 The sequence of matrices $D^{(k)}$ and $\Pi^{(k)}$ computed by the Floyd-Warshall algorithm for the graph in Figure 25.1.

Figure 14.38

Worst-case running times of various graph algorithms

TYPE OF GRAPH PROBLEM	RUNNING TIME	COMMENTS
Unweighted	$O(E)$	Breadth-first search
Weighted, no negative edges	$O(E \log V)$	Dijkstra's algorithm
Weighted, negative edges	$O(E \cdot V)$	Bellman–Ford algorithm
Weighted, acyclic	$O(E)$	Uses topological sort