

Dynamic Programming: Activity Selection

- Select the maximum number of non-overlapping activities from a set of n activities $A = \{a_1, \dots, a_n\}$ (sorted by finish times).
- Identify "easier" subproblems to solve.
 $A_1 = \{a_1\}$
 $A_2 = \{a_1, a_2\}$
 $A_3 = \{a_1, a_2, a_3\}, \dots,$
 $A_n = A$
- Subproblems: Select the max number of non-overlapping activities from A_i

Dynamic Programming: Activity Selection

- Solving for A_n solves the original problem.
- Solving for A_1 is easy.
- If you are given the optimal solutions S_1, \dots, S_{i-1} for subproblems corresponding to A_1, \dots, A_{i-1} , how to compute S_i ?
- The optimal solution for A_i either
 - Case 1: does not include a_i or
 - Case 2: includes a_i
- Case 1:
 - $S_i = S_{i-1}$
- Case 2:
 - $S_i = S_k \cup \{a_i\}$, for some $k < i$.
 - How to find such a k ?
 - We know that a_k cannot overlap a_i .

Dynamic Programming: Activity Selection

- DP-ACTIVITY-SELECTOR (s, f)

1. $n = \text{length}[s]$
2. $N[1] = 1$ // number of activities in S_1
3. $F[1] = 1$ // last activity in S_1
4. **for** $i = 2$ **to** n **do**
5. let k be the last activity finished before s_i
6. **if** ($N[i-1] > N[k]$) **then** // Case 1
7. $N[i] = N[i-1]$
8. $F[i] = F[i-1]$
9. **else** // Case 2
10. $N[i] = N[k] + 1$
11. $F[i] = i$

How to output S_n ?
Backtrack!
Time Complexity?
 $O(n \lg n)$

Dynamic Programming Features

- Identification of **subproblems**
- **Recurrence relation** for solution of subproblems
- **Overlapping** subproblems (sometimes)
- Identification of a **hierarchy/ordering** of subproblems
- Use of table to store solutions of subproblems (**MEMOIZATION**)
- Optimal Substructure

Longest Common Subsequence

$S_1 =$ CORIANDER

CORIANDER

$S_2 =$ CREDITORS

CREDITORS

Longest Common Subsequence($S_1[1..9]$, $S_2[1..9]$) = CRIR

Subproblems:

- $LCS[S_1[a..b], S_2[c..d]]$, for all a, b, c, and d
- $LCS[S_1[1..i], S_2[1..j]]$, for all i and j [BETTER]
- Recurrence Relation:
 - $LCS[i,j] = LCS[i-1, j-1] + 1$, if $S_1[i] = S_2[j]$
 - $LCS[i,j] = \max \{ LCS[i-1, j], LCS[i, j-1] \}$, otherwise
- Table ($m \times n$ table)
- Hierarchy of Solutions?

LCS Problem

```
LCS_Length (X, Y )
1. m ← length[X]
2. n ← Length[Y]
3. for i = 1 to m
4. do c[i, 0] ← 0
5. for j =1 to n
6. do c[0,j] ←0
7. for i = 1 to m
8.     do for j = 1 to n
9.         do if ( xi = yj )
10.            then c[i, j] ← c[i-1, j-1] + 1
11.                b[i, j] ← "}"
12.            else if c[i-1, j] > c[i, j-1]
13.                then c[i, j] ← c[i-1, j]
14.                    b[i, j] ← "↑"
15.            else
16.                c[i, j] ← c[i, j-1]
17.                    b[i, j] ← "←"
18. return
```

LCS Example

		H	A	B	I	T	A	T
	0	0	0	0	0	0	0	0
A	0	0↑	1↖	1←	1←	1←	1↖	1←
L	0	0↑	1↑	1↑	1↑	1↑	1↑	1↑
P	0	0↑	1↑	1↑	1↑	1↑	1↑	1↑
H	0	1↖	1↑	1↑	1↑	1↑	1↑	1↑
A	0	1↑	2↖	2←	2←	2←	2↖	2←
B	0	1↑	2↑	3↖	3←	3←	3←	3←
E	0	1↑	2↑	3↑	3↑	3↑	3↑	3↑
T	0	1↑	2↑	3↑	3↑	4↖	4←	4↖

Dynamic Programming vs. Divide-&-conquer

- Divide-&-conquer works best when all subproblems are **independent**. So, pick the partition that makes the algorithm most efficient. Then simply combine their solutions to solve the entire problem.
- Dynamic programming is needed when subproblems are **dependent** and we don't know where to partition the problem. For example, let $S_1 = \{\text{ALPHABET}\}$, and $S_2 = \{\text{HABITAT}\}$. Consider the subproblem with $S_1' = \{\text{ALPH}\}$, $S_2' = \{\text{HABI}\}$.
Then, **$LCS(S_1', S_2') + LCS(S_1 - S_1', S_2 - S_2') \neq LCS(S_1, S_2)$**
- Divide-&-conquer is best suited for the case when no "overlapping subproblems" are encountered.
- In dynamic programming algorithms, we typically solve each subproblem only once and store their solutions. But this is at the cost of space.

Dynamic programming vs Greedy

1. Dynamic Programming solves the sub-problems bottom up. The problem can't be solved until we find all solutions of sub-problems. The solution comes up when the whole problem appears.

Greedy solves the sub-problems from top down. We first need to find the greedy choice for a problem, then reduce the problem to a smaller one. The solution is obtained when the whole problem disappears.

2. Dynamic Programming has to try every possibility before solving the problem. It is much more expensive than greedy. However, there are some problems that greedy can not solve while dynamic programming can. Therefore, we first try greedy algorithm. If it fails then try dynamic programming.