

Service Desk Hands-on Exercise

Service Desk Overview

Service Desk (SD) is intended to provide a central or single point of contact to meet the communication needs of *users* and *IT employees* with respect to some *support issues* (**tickets**). We divide users to **end users** who are the actual users of the service and **contacts** who represent end users. We divide IT employees to **admins** who design and maintain service desks and **technicians** who use the service desks. Most communications happen between contact and technicians with respect to tickets.

A **support issue** may be:

- asking a question
- reporting a problem
- requesting for a service
- suggesting a new feature

We refer to support issues as tickets.

A **resource pool** is a group of technicians allocated to specific areas of general or specific service. We may refer to resource pools simply as **pools**.

Types of service desks

- Call center: A centralized office used for the purpose of receiving and transmitting a large volume of requests by telephone.
- Contact center: A facility used by companies to manage all client contact using telephone, fax, letter, e-mail and increasingly, online live chat.
- Help desk: An information and assistance resource that troubleshoots problems with computers or similar products via a toll-free number, website, and e-mail.

We focus only on help desks.

Why Kaseya Service Desk?

The Kaseya Service Desk (KSD):

- Keeps track of support issues & responses
- Coordinates all communications
- Provides templates for uniform response
- Provides automated notifications, escalations, and in some cases automated response
- Enables designing service desks based on the requests and resources
- Enables further customization and refinement of service desks based on gradual changes in the requests and resources

Designing Service Desks

As a SD Admin, you are in charge of *designing* and *refining* service desks.

General Guidelines

Simplicity: Make your life easy!

 SD should be designed as simple as possible, while satisfying the communication needs of users and IT employees.

Efficiency: Get the biggest bang for your buck!

SD should be designed so that the resources are best utilized while the response time meets the
designated deadlines.

To design a simplified and efficient desk:

- We must be fully aware of the needs of your users and based on that define the required ticket properties, such as, states, priorities, categories, severities, resolutions, etc.
- We must define the ticket life cycle or the workflow of your desk using stages, transitions, and their automated behavior.
- We must be fully aware of the skill set and experience of your resources to define their roles and associate them to appropriate resource pools.

Background Story

Lately many users complained that the services requested were not completed on time or they never received a response from the IT support staff. Management decided to organize the IT support requests at FIU. To address this concern, they require a system to track the service requests from when a ticket is created to the time it is resolved and completed.


As the head technician, you have decided to use Kaseya Service Desk (KSD) to accomplish these tasks. The Kaseya Service Desk module manages an organization's response to support issues. A support issue may be a question, a problem, a request for service, or a suggestion for a future enhancement.

Part 1


It is always a good practice to check your licenses for desks and users before starting with KSD. To do that we need to go to System module and under License Manager Page we can check the number of licenses available for Service Desk.

- 1. Go to System > License Manager.
- 2. Select the Licenses tab.
- Check the Max Desks row to see how many desk have been used and what is the maximum number of desks that you can create

4



- Now we are going to check the number of licenses for the users.
 - 4. Go to System > License Manager.
 - 5. Select the Role Type tab.
 - 6. Check the Service Desk Admin row to see the maximum named licenses for SD Admins.
 - 7. Check the Service Desk Technician row to see the maximum named licenses for SD technicians.



Part 2

You are going to define a desk using a desk template, instead of creating a service desk from scratch. You can jump start by using desk templates provided. By choosing an appropriate service desk template, you can learn about the best practices in managing tickets, while you still have the opportunity to customize your desk to your needs. There are two ways to create a desk using templates. You can create a desk using Desk Configuration > Desk Definition page or you can install a pre-configured desk using Templates > Desk Templates pages.


- Create an ITIL Incident service desk named < USERNAME>_SD.
 - 1. Open the Service Desk module.

- 2. Go to Desk Configuration > Desk Definition
- 3. Click on New.
- 4. Click on the *Use selected template* radio button.
- 5. Select ITIL Incident from the Definition Template dropdown menu.
- 6. Type **<USERNAME>_SD** in the *Name* textbox.


Note: When creating a desk name avoid using spaces of special characters.




- 7. Type <FIRSTLASTNAME>'s ITIL Incident Management in the Description textbox.
- 8. Type **<INITIALS>_SD** in the *Prefix* textbox.
- 9. Select Fixed Width Tabbed from the Editing Template dropdown menu.
- 10. Select **<USERNAME>** from the *Desk Administrator* dropdown menu.
- 11. Select the Show Incident Notes Pane? Checkbox.
- 12. Select -- No Default Policy -- for Policy.
- 13. Select -- No Default Email -- for the Email field.
- 14. Click on Save.



- -Create a ticket to test your newly made service desk.
 - 15. Go to Operations>Tickets.
 - 16. Select **<USERNAME> SD**, is selected from the *Service Desk* dropdown box.
 - 17. Click on New
 - 18. Select New Ticket. A window for creating a new ticket pops up.




- 19. Type Print to PDF is not available in the Summary textbox.
- 20. Type **Eli User** in the *Submitter Name* text box.
- 21. Type johndoe@fiu-johndoe.edu in the Submitter's Email textbox.
- 22. Click on the Save and Close button.






Note: The format of this form and the fields that appear on this form follow the *Fixed Width Tabbed* editing template that you chose when you created this service desk.

- -Set your Service Desk as the default desk.
 - 23. Go to Desk Configuration>Desk Definition.
 - 24. Select the radio button next to <USERNAME>_SD
 - 25. Click on the Set Default button.




Now you want to learn more about the service desk properties and their default selections so that you can customize them to your needs. Based on the needs of your users, the types of requests, and their expectation of your service, you should define appropriate values for your ticket properties. Reviewing the different statuses that were defined in the ITIL Incident desk, you realize that you need the **New**, **In Progress**, **Waiting for User Feedback**, and **Closed** statuses, but as you do not see any need for the **Denied by User** status; therefore, you decide to delete this status to simplify your desk.

- -Add **New**, **In Progress, Waiting for User Feedback** and **Closed** to your desk status, and then delete **Denied by User** status.
 - 1. Go to Desk Configuration > Desk Definition.
 - Select the **<USERNAME>_SD** desk.
 - 3. Go to the Properties>Status tab.
 - 4. Select the radio button next to Denied by User.
 - Click on Delete button.
 - Click on Yes.




Now looking at the Categories tab, you realized that **Printer** is missing from **Hardware Error**; the **Sales Related** sub-category in **Service Request** is irrelevant to your desk; the **Request new PC** sub-category should not be under the **Service Request** category; a category for **Purchase** with **Request for Quote** and **Request for Purchase** sub-categories is missing **PantherSoft**, the student management software used at FIU, is missing from the sub-categories of **Software Error**.


- -Add **Printer** as a sub-category for the *Hardware Error* category.
 - 7. Under Properties tab click on Categories.
 - 8. Select the radio button next to Hardware Error.
 - 9. Click on Edit.
 - 10. Type **Printer** in the Sub Category textbox.
 - 11. Click on the Add Sub Category button.
 - 12. Click on the Save button.




- Delete Sales Related and Request new PC from the sub-categories of the Service Request category.
 - 13. Select the radio button next to Service Request category.
 - 14. Click on the Edit button.
 - 15. Select the **Sales Related** sub-category in the *Sub-Categories* list box.
 - 16. Click on the Delete Sub Category button.
 - 17. Select the Request new PC sub-category in the Sub Categories list box.
 - 18. Click on the *Delete Sub Category* button.
 - 19. Click on the Save button.




- Add **Purchase** as a new category with **Request for Quote** and **Request for Purchase** as its sub-categories.
 - 20. Click on the New button
 - 21. Type Purchase in the Name textbox.
 - 22. Type Request for Quote in the Sub Category textbox.
 - 23. Click on the Add Sub Category button.
 - 24. Type Request for Purchase in the Sub Category textbox.
 - 25. Click on the Add Sub Category button.
 - 26. Click on the Save button.



- Add PantherSoft as a sub-category for the Software Error category.
 - 27. Select the Software Error category
 - 28. Click on the Edit button.
 - 29. Type PantherSoft in the Sub Category textbox.
 - 30. Click on the Add Sub Category button.
 - 31. Click on the Save button.




- Continuing your review of the custom fields, you cannot think of any use for the **ChangeRequest** and **ProblemRecord** custom fields. So you delete these fields.
 - 32. Select the radio button next to **ChangeRequest**.
 - 33. Click on Delete button.
 - 34. Select the radio button next to **ProblemRecord**.
 - 35. Click on Delete button.



Now that you have adjusted the service desk properties to your liking, you want to learn more about the service desk processing and its automation settings so that you can customize them to your needs. The sequence of stages is user-defined. It depends on the policies defined by your organization and your judgment. To review the stages and their transitions, you can go to *Processing >View* tab.

- 1. Go to Desk Configuration > Desk Definition.
- 2. Go to the Processing>View tab




Note: simplicity is the key to success. The simpler your desk, the easier is its management. So, if you really do not need a stage, you should remove it from your desk.

- You notice that you do not need the **Rejected** stage; you can simply merge this stage to the **Closed** stage and reflect the way the ticket was resolved using the **Resolution** property. However you notice that the ticket going to the **Solved** Stage may be reopened; therefore, you need to allow tickets in this stage to be able to go to the **Tier2** stage too. Moreover, based on the volume of the tickets that you have been receiving in the past, and your estimated projection of the future tickets, your resolution goal time, and the number of individuals in your support team and their expertise, you realize that **Specialist** is not yet necessary for

your desk as it just makes things unnecessarily more complex.


- -Delete rejected and Specialist stages.
 - Go to Service Desk > Desk Definition.
 - Select **<USERNAME>_SD** desk.
 - 3. Click on the Processing tab.
 - 4. Click on the Stage tab.
 - 5. Select the Rejected stage from the list of stages.
 - 6. Click on Delete.
 - 7. Click on Yes.
 - 8. Select the Specialist stage.
 - 9. Click on Delete.
 - 10. Click on Yes.






Note: Before removing a stage from your desk workflow, we suggest studying the settings of the stage and how the other stages may be dependent on this one, so that you can appropriately adjust the remaining stages.

- -Connect Identified stage to Closed stage and connect the Solved stage to Tier2.
 - 11. Select the *Identified* stage.
 - 12. Click on Edit.
 - 13. Hold the *Ctrl* key and click on the *Closed* stage in the stage list box.
 - 14. Click on Save.




- 15. Select the *Solved* stage on the lower right pane.
- 16. Click on Edit.
- 17. Hold the Ctrl key and click on the Tier2 stage in the To Stage list box.
- 18. Click on Save.




Based on the availability of your team members and the type and urgency of tickets that you may receive, you need to define a *default* policy for your service desk that reflects the coverage hours of operation, holidays, and the method of contact. Your team works on week days, 8 to 4 pm ET. No work on Christmas Day (Dec 25th, New Year Jan 1st, and US Independence Day (July 4th). Method of contact is email and phone.

-Define the hours and days of the year a service desk is open to respond to service requests using Coverage Schedules. This includes hours of coverage to standard holidays.


- 1. Go to Common Configuration> Coverage Schedules.
- 2. Click on New.
- 3. Type DefaultWorkingHours-<USERNAME> in the Name textbox.
- 4. Type Default working hours for <FIRSTLASTNAME>'s service desk in the Description textbox.
- 5. Click on Save.



- 6. Select the Standard Hours tab on the upper right pane.
- 7. Click on New on the upper right pane.
- 8. Select M:F from the Days Covered dropdown box.
- 9. Select the Use These Hours radio button.
- 10. Type 8:00:00 am in the Begin Hour textbox.
- 11. Type 4:00:00 pm in the End Hour textbox.
- 12. Select (UTC-05:00) Eastern Time (US & Canada) from the Time Zone dropdown box.
- 13. Click on Save.




- -Set the hours for weekends and holidays.
 - 14. Under Standard Hours tab Click on New.
 - 15. Select Weekends from the Days Covered dropdown box.
 - 16. Select the No Coverage radio button.
 - 17. Select (UTC-05:00) Eastern Time (US & Canada) from the Time Zone dropdown box.
 - 18. Click on Save.




- 19. Click on New again.
- 20. Select Default Holidays from the Days Covered dropdown box.
- 21. Select the No Coverage radio button.
- 22. Select (UTC-05:00) Eastern Time (US & Canada) from the Time Zone dropdown box.

23. Click on Save.




-Define Holidays.

- 24. Go to Common Configuration > Holidays.
- 25. Click on New.
- 26. Type Independence Day in the Description textbox.
- 27. Choose 04-Jul-12 in the Date textbox.
- 28. Click on Save.




- 29. Click on New.
- 30. Type Christmas Day in the Description textbox.
- 31. Choose 25-Dec-12 in the Date textbox.

32. Click on Save.




- 33. Click on New.
- 34. Type New Year's Day in the Description textbox.
- 35. Choose 01-Jan-13 in the Date textbox.
- 36. Click on Save.




- -Define policies regulating how a service desk can be contacted and link the policy to the service desk.
 - 37. Go to Common Configuration > Policies.
 - 38. Click on New.
 - 39. Type *Default_SLA-<USERNAME*>in the *ID* textbox.
 - 40. Type Default SLA for <FIRSTLASTNAME>'s desk in the Description textbox.

- 41. Choose *DefaultWorkingHours-<USERNAME*>from the *Policy Hours* dropdown box.
- 42. Check Contact by Email?
- 43. Check Contact by Phone?
- 44. Check Time Measured Against Coverage?
- 45. Click on Save.




- 46. Go to Desk Configuration > Desk Definition.
- 47. Choose your service desk on the upper right pane.
- 48. Click on Edit.
- 49. Select the Standard Field Defaults tab.
- 50. Choose Default_SLA-<USERNAME>from the Policy dropdown box.
- 51. Click on Save.




It has come to your attention that email notifications have not been received by members of your team when the new ticket was created by you. Also the end user with the print PDF issue, has informed you that the content of the notifications is too generic, it does not reflect anything about your team at FIU, and he wonders if he replies to that email, how it will be link to the original ticket. To have a better understanding of the situation with regards to the status of email notifications, you visit the *System > Outbound Email* page to review the notification emails sent for the ticket that you created.

-Review outbound Emails.


- 1. Go to System > Outbound Emails.
- 2. Click on the Log tab on the right pane.
- 3. Find the two emails sent out with <INITIALS>_SD000001 included in the subject line.
- Double click on the first one.
- 5. Observe that the *To* field is set to <a href="mailto:email
- 6. Click on Cancel.



- 7. Double click on the second email.
- 8. Observe that this email is signed by *Len User*, which is the submitter of the email, the recipient of this email too, and considered as a member of *Your support department*! So, there are two issues with this notification: you do not want the email to be signed by the by the submitter and you do want to make the reference to your team more specific. Finally, *~ticid* should be added to the *Subject*.




- Now you need to review the message templates to find the templates used for these two notifications. Take a quick look at the *Entry* procedure for the *Incident* stage of your desk.
 - 9. Open Service Desk module
 - 10. Go to Templates > Message Templates.




- You observe that there are so many messages templates; examining all of them may take a long time. So, you decide to go to the *Entry* procedure of the *Incident* stage.
 - 11. Go to Procedure Definition > Stage Entry or Exit.
 - 12. Navigate to <USERNAME>_SD folder.
 - 13. Click on Incident entered Identified.
 - 14. Click on Edit Procedure.
 - 15. Click on the Send an email to [=Email_Tier1Support=].


- -You see that the *Ticket Created* message template was used, the procedure variable Email_Tier1Support was used for the *To* field, and Email_KaseyaServer for the From field.
 - 16. Click on the Send an email to [=Submitter_EmailAddress=].
- -You see that the *Ticket Creation Acknowledgement* message template was used, the procedure variable *Email Tier1Support* was used for the *To* field, and *Email KaseyaServer* for the *From* field.
 - 17. Click on Cancel.




- Set the value of the following procedure variables as **[=SupportSignature=]** should be set to "**FIU Support Team**" **[=Email_KaseyaServer=]** should be set to **<YOURSUPPORTEMAIL> [=Email_Tier1Support=]** should be set to a comma separated email list of your team members in **tier1**.
 - 18. Go to Templates > Message Template.
 - 19. Select the *Ticket Creation Acknowledgement* message template from the list in the right pane.
 - 20. Click on Edit.
 - 21. In the Subject append ~ticid='[\$TicketId\$]'.
 - 22. In the editor for the body of the message, replace [\$Submitter Name\$] with "Sincerely."
 - 23. Click on Save.




- -Now you need to correct the Values of Some Procedure Variables.
 - 24. Go to Common Configuration > Procedure Variables.
 - 25. Select the SupportSignature variable from the list on the right pane.
 - 26. Click on Edit
 - 27. Type FIU Support Team in the Value text box.
 - 28. Click on Save.




- 29. Select the *Email_KaseyaServer* variable from the list on the right pane.
- 30. Click on Edit
- 31. Type <YOURSUPPORTEMAIL>in the Value text box.
- 32. Click on Save.




- 33. Select the *Email_Tier1Support* variable from the list on the right pane.
- You observe that the value of this variable is set using yet another procedure variable, namely, *Email_ReviewTeam*. You decide to change that variable instead.
 - 34. Select the *Email_ReviewTeam*variable from the list on the right pane.
 - 35. Click on Edit
 - 36. Type ted-johndoe@fiu-johndoe.edu, tia-johndoe@fiu-johndoe.edu, tim-johndoe@fiu-johndoe.edu, tod-johndoe@fiu-johndoe.edu, tom-johndoe@fiu-johndoe.edu, tru-johndoe@fiu-johndoe.edu in the Value text box.
 - 37. Click on Save.



- -To verify your changes, you should submit a test ticket to see whether the changes that you have made to the message templates and procedures variables actually work the way you intended.
 - 38. Go to Operations > Tickets.
 - 39. Click on New
 - 40. Click on New Ticket.




- 41. Type **Testing the changes to message templates and procedure variables**. In the *Summary* text box.
- 42. Click on Save and Close.




- Review the Outbound Emails.
 - 43. Go to System > Outbound Emails.
 - 44. Click on the Log tab on the right pane.

- 45. Find the two emails sent out with <INITIALS>_SD000002 included in the subject line.
- 46. Double click on the first one.
- 47. Observe that the *To* field is set to **ted-johndoe@fiu-johndoe.edu**, **tia-johndoe@fiu-johndoe.edu**, **tim-johndoe@fiu-johndoe.edu**, **tom-johndoe@fiu-johndoe.edu**, **tom-johndoe@fiu-johndoe.edu**.
- 48. Click on Cancel.



- 49. Double click on the second email.
- -Observe ~ticid in the Subject and Sincerely, FIU Support Team
 - 50. Click on Cancel.




Incoming Emails, Alarm Settings, and their linked service desk procedures determine how email requests are processed into tickets, what service desks they belong to, and whether ticket requests are canceled. An email reader acts as a communication hub between end user and your support team. It supports both POP3 and IMAP. It can receive plain or HTML formatted email, with or without attachments, and adds the contents to the ticketing system. RTF formatted emails are not supported.


Now that your service desk has gone through its initial set up, you would like to reduce your team's workload by automatically creating tickets from emails sent by the end users. Also, any follow up emails, replying to the ticket creation acknowledgement should not create a new ticket. It should just be added as a note to the original email. Setup a POP3 or IMAP support email account to receive request from the end users. Then set up your VSA to read the request emails and create tickets correspondingly. Lastly, make sure any follow-up email would not create a new ticket.

-Setup your Email Reader.


- 1. Go to Common Configuration > Incoming Email and Alarm Settings.
- 2. Select the Readers tab
- 3. Click on New.
- 4. Type EmailReader-<USERNAME> in the ID text box.
- Type the POP3/IMAP server address (e.g., pop3.live.com for live accounts) in the Host Name text box.
- Type the port number (e.g., 995 for live with SSL) for your POP3/IMAP server in the Port Number text box.
- 7. Type your email address in the *Login ID* text box.
- 8. Type your email account password in the *Password* text box.
- 9. Type your email address in the Reply Email Address text box.
- 10. Select the Use SSL? Checkbox, if your email server requires it.
- 11. Select <USERNAME> SD.Incident De-Duplication for Receipt Dup.
- 12. Select <USERNAME>_SD.Incident Mapping for Receipt Map.
- 13. Select POP3 or IMAP for Transport protocol.
- 14. Click on Save.




- Set the attributes of a ticket request.
 - 15. Go to Procedure Definition > Ticket Request Mapping.
 - 16. Navigate to *<USERNAME>_SD* folder.
 - 17. Select Incident Mapping.
 - 18. Click on Edit.
 - 19. Select the Set ServiceDesk to <USERNAME>_SD step.
 - 20. Make sure that <USERNAME>_SD is entered in the right pane.
 - 21. Click on Save.
 - 22. Click on Save and Close.




- Now you need to make sure that the newly created email reader works as you intended.
 - 23. Go to your email account
 - 24. Compose a new email.
 - 25. Type the email reader account address in the To field
 - 26. Type some meaningful text in the Subject and Body of your email.
 - 27. Send your email.



- You can manually force the email reader to check the email readers.
 - 28. Go to Common Configuration > Incoming Email and Alarm Settings.
 - 29. Click on the Connect Now.



- -Verify the Submission of the Ticket Creation Acknowledgement.
 - 30. Go to Operations > Tickets.
 - 31. Find your newly created ticket and double click on it.
 - 32. Review the content of the ticket
 - 33. Click on Cancel.



- -To check if the ticket creation acknowledgement was sent out.
 - 34. Go to System > Outbound Emails.
 - 35. Click on the Log tab on the right pane.
 - 36. Find the notification emails with subject including your ticket number.
 - 37. Review the contents of the acknowledgement email.
 - 38. Go to your email account and verify the receipt of the ticket creation acknowledgement email.





Fig. 6.9

-Now Send a Follow-Up Email.

- 39. Go to your email account.
- 40. Find the ticket creation acknowledgement email for your newly created ticket.
- 41. Note that ~ticid is included in the subject.
- 42. Reply to that email.
- 43. Go to Operations > Tickets.
- 44. Find the ticket that was automatically created by the email reader.
- 45. Double click on the ticket.
- 46. Click on the Notes tab.
- 47. Notice that the contents of the reply email is added as a note to the original email.
- 48. Click on Cancel.




Part 8

You noticed that tickets created by end users using *Live Connect* or *Access Portal* are not received in your newly created service desk. You realized that you have not yet activated your service desk. Now that you are confident about your service desk to work properly as you intended, it is time to activate it so that all the tickets created by end users, *Monitors*, and *Alarms* go to your desk.

- 1. Open Service Desk
- 2. Go to Common Configuration > Global Settings.
- 3. Click on the *Edit* button on the right pane.
- 4. Select the check box next to the Activate Service Desk?

- 5. Click on Save.
- 6. Go to Common Configuration > Incoming Email and Alarm Settings.
- 7. Make sure that the *Enable* button on the top of the right pane is grayed out, meaning that is selected.




Note: Step 7 is required only for the on-premise KServers.




Part 9

Now that your desk is created and activated, it is time to create machine users. To be able to create machine users you first need to deploy agents to the machines being used by the users. Next, you can ask the machine users to enter their profile information; alternatively, you can do this on their behalf.

- 1. Go to Install Agents > Deploy Agents
- Click on Create Package
- 3. Click on Existing Group dropdown menu.
- 4. Select FIU-johndoe.mr.
- 5. Click on Next.




- 6. Type **DefaultPackage-<USERNAME>**in *Package Name* textbox.
- Type Default Package for <FIRSTNAME> <LASTNAME> in Package Description textbox.
- 8. Click on Save.




- Remotely login to DC machine.
- 10. Login to VSA and Click on DefaultPackage-johndoe.
- 11. Click on DefaultPackage-johndoe link.
- 12. Click on Save
- 13. Open KcsSetup file.
- 14. Run the Setup file.
- Now that we have successfully installed agent on DC machine, we need to change a registry key value in order to have the Kaseya icon showing in the tray


- 15. Click on Run in the start menu of the windows.
- 16. Type **Regedit** in the *Open* textbox.
- 17. Click on *OK*.
- 18. Navigate to My Computer > HKEY_LOCAL_MACHINE> SOFTWARE > Microsoft > Windows > CurrentVersion > Run.
- 19. Double Click on Kaseya value.
- 20. Append remote at the end and click on OK.
- 21. Close out of the Registry Editor.



- -Repeate the privous steps until you install agents on all of the machines.
- To improve communication, you want to make sure that end users have updated their profile; therefore, you ask them to double click on the Kaseya agent icon in their system tray bar and update their profile. **Eli, Ena, Eve, Evy**, and **Ewa** are the end users of ws1, dc, guest1, pc1, and laptop1, respectively.
 - 22. While remotely logged into the DC machine double click on the Kaseya Agent.
 - 23. Type ena-johndoe in the *Username* textbox
 - 24. Type Start1234 in the Passwork textbox.
 - 25. Type **Start1234** in the *Confirm Password* textbox.
 - 26. Click on Apply.
 - 27. Click on Ok.



- 28. Go to Configure Agents > Edit Profiles.
- 29. Type Ena User in the Contact Name textbox.
- 30. Type ena-johndoe@fiu-johndoe.edu in Contact Email textbox.
- 31. Type **111-111-1111** in Contact Phone.
- 32. Select DC machine.
- 33. Click on Update.




-Repeat the steps from 21 - 32 untill you add Contact information for each of the machines.

Now that have identified the types of your SD users, it is time to clearly define their access to the VSA functions, tickets, and ticket fields. Also, you need to further divide your SD Techs to different support tiers to better utilize their skill sets.


For each of the four SD Users type, you need to clearly define their VSA function access.

- 1. Click on the Role dropdown box.
- 2. Select the SD Admin role.
- 3. Click on the Service Desk module listed in the left pane.
- 4. Observe that SD admin can only access the Service Desk module.




-You would like your SD Admins to be able to have full access to all the functions in your VSA. To grant Master or System access to SD Admins, follow the below steps:

- 5. Click on the Role dropdown box.
- 6. Select the *System* role (or the *Master* role for on-premise users).
- 7. Go to System > User Roles.
- 8. Select the SD Admin user role in the middle pane.
- 9. Click on the Role Type tab in the right pane.
- 10. Click on the Assign Role Type button.
- 11. Select the ITCenterAdv role type (or VSA Admin role type for on-premise users).
- 12. Click on Save.




- Verify Changes to SD Admin.
 - 13. Click on the Role dropdown box.
 - 14. Select the SD Admin role type.
 - 15. Click on the Access Rights tab on the left side of the Role Type tab.
 - 16. Make sure that all the modules are included in the list.
 - 17. Click on the System menu item in the left pane.
 - 18. Make sure that all the modules are included in the list.




- Check the functions a SD technician has access to.
 - 19. Click on the Role dropdown box.
 - 20. Select the SD-Technician-<USERNAME> role.

- 21. Click on the Service Desk module listed in the left pane.
- 22. Observe SD technician can only access the Service Desk module




- You would like your SD technicians to be able to have access to most of the functions in your VSA. To grant access to different VSA modules to SD technicians, follow the below steps:
 - 23. Click on the Role dropdown box.
 - 24. Select the *System* role (or the *Master* role for on-premise users).
 - 25. Go to System > User Roles.
 - 26. Select the *SD-Technician-<USERNAME>* user role in the middle pane.
 - 27. Click on the Role Type tab in the right pane.
 - 28. Click on the Assign Role Type button.
 - 29. Select the ITCenterAdv role type (or the VSA Admin role type for on-premise users).
 - 30. Click on Save.




Unlike SD Admins who should be able to access all the VSA functions, you do not want your SD technicians to access System and Ticketing functions.


- 31. Go to System > User Roles.
- 32. Select the *SD-Technician-<USERNAME>* user role in the middle pane.
- 33. Click on the Access Rights tab in the right pane.
- 34. Click on the Set Role Access Rights button.
- 35. Uncheck the *Ticketing* and most of the *System* functions, except for *System > User Settings*.
- 36. Click OK.




- To verify that your SD technician can access the VSA functions that you intended, follow the below steps:
 - 37. Click on the Role dropdown box.
 - 38. Select the SD-Technician-<USERNAME> role type.
 - 39. Click on the Info Center menu item in the left pane.
 - 40. Make sure that all the modules that you intended are included in the list; Note that *Ticketing* is not included.



- 41. Next, click on the System module.
- 42. Note that only *User Settings* is available.




- 43. Next, go to the Service Desk module.
- 44. Note that none of the SD Admin functions are available.
- To check the functions that an end user contact has access to, you can either login to VSA using an end user contact username, or you can simply change your role, using the *Role* dropdown box located on the top-right corner of all VSA pages.
 - 45. Click on the Role dropdown box.
 - 46. Select the Contact-<USERNAME> role.
 - 47. Click on the Service Desk module listed in the left pane.
 - 48. Observe that an end user contact has too much access to the VSA functions.




Unlike SD Admins and technicians, end user contacts should have access only to the tickets.

- 49. Go System > User Roles.
- 50. Select theto System Contact-<USERNAME> user role in the middle pane.
- 51. Click on the Access Rights tab in the right pane.
- 52. Click on the Set Role Access Rights button.
- 53. Uncheck everything, except for the Service Desk > Tickets and System > User Settings.
- 54. Click OK.




To verify that your end user contacts can access the limited VSA functions that you intended, follow the below steps.

- 55. Click on the Role dropdown box.
- 56. Select the Contact-<USERNAME> role type.
- 57. Click on the System menu item in the left pane.
- 58. Make sure that only *System* and *Service Desk* are included in the list.




- 59. Next, click on the System module.
- 60. Note that only *User Settings* and *Database Views* are available.
- 61. Next, go to the Service Desk module.
- 62. Note that only *Tickets* function is available.



By default all machines are members of the *default* machine role. You can set machine users' access to VSA functions via Access Portal by modifying the access right for the *default* machine role. To check what functions a machine user has access to, you can either login to VSA using an end user contact username, or you can simply remote login to one of an end user's machine and double click on the Kaseya agent icon in the system tray


- 63. Open an IE browser.
- 64. Go to your Kaseya server.

- 65. Login to VSA using the laptop1 machine user credentials (i.e., ewa-<USERNAME>).
- 66. Note that too many functions are available to the machine user.
- 67. Alternatively, remote login to *laptop1*.
- 68. Double click on the Kaseya agent icon in the system tray.
- 69. Note that there are too many functions available to the machine user. Some functions such as Desktop Access are grays out as it does not make sense to use them while logged in to the machine.
- 70. Observe that a machine user has too much access to the VSA functions by default.




Unlike SD Admins and technicians, machine users should have access only to a limited number of functions on VSA.

- 71. Go to System > Machine Roles.
- 72. Select the *default* user role in the middle pane.
- 73. Click on the Access Rights tab in the right pane.
- 74. Click on the Set Role Access Rights button.
- 75. Uncheck everything, except for Service Desk > Tickets and some useful functions appropriate for the machine user under Live Connect.
- 76. Click OK.



To verify that your machine users can access the limited VSA functions that you intended, follow the below steps.

- 77. Remote login to laptop1.
- 78. Double click on the Kaseya agent icon in the system tray.
- 79. Make sure that only the intended functions are available.




For each of the four SD Users type, you need to clearly define their scopes. You decide to give your SD Admins Master / System scope.

Note: Master / System scopes are predefined in VSA. Therefore, there is no need for creating a new scope for SD Admins.



Your service desk technicians would need to have access to all the objects in the FIU-<USERNAME> organization.

- 80. Go to User Security > Scopes.
- 81. Select the radio button next to SD-Technician-johndoe.
- 82. Click on Organizations tab.





Note: For your convenience, the required scope has already been created for you and the FIU-johndoe organization has already been assigned to it.

Verify that your service desk end user contacts from SCIS, MR, GL, and CEC have access to all the machines in their respective departments.

- 83. Select the radio button next to scis-johndoe.
- 84. Click on Machine Groups tab.
- 85. Select the radio button next to mr-johndoe.
- 86. Select the radio button next to *gl-johndoe*.
- 87. Select the radio button next to cec-johndoe.




Note: For your convenience, the required scopes have already been created for you and the corresponding machine groups have already been assigned to them.

By default all machine users use the *Anonymous* scope when using Access Portal. Assign the organization and/or Machine Groups that you want to give access to your machine users. Without this setting machine users will not be able to edit their own tickets. Note that you must assign all organizations to this scope in order for the machine users to view tickets via Access Portal.


- 88. Go to System > Scopes.
- 89. Select the *Anonymous* scope in the middle pane.
- 90. Click on the *Organization* tab in the right pane.
- 91. Click on the Assign button.

- 92. Select the FIU-<USERNAME> organization.
- 93. Click on Save.



Associate the scopes to your service desk.

- 94. Go to System > Scopes.
- 95. Select the SD-Technician-<USERNAME> scope in the middle pane.
- 96. Click on the Service Desk tab in the right pane.
- 97. Click on the Assign button.
- 98. Select the FIU-<USERNAME> organization.
- 99. Click on Save.
- 100.Repeat steps 95 to 100 for the scis-<USERNAME>, mr-<USERNAME>, gl-<USERNAME>, cec-<USERNAME>, and Anonymous.





You need to assign the actual members of each of the SD users' types to their corresponding scopes.

Note: You have already assigned the actual users to their corresponding scopes. In the next steps, we just verify the assignments.

- 101. Select the radio button next to *System* scope.
- 102. Click on Members tab.
- 103. Select the radio button next to SD-Technician-johndoe.
- 104. Select the radio button next to scis-johndoe.
- 105. Select the radio button next to mr-johndoe.
- 106. Select the radio button next to *gl-johndoe*.
- 107. Select the radio button next to cec-johndoe.




Note: The SD ticket access for machine users is determined by the Anonymous scope, which is predefined in VSA.

Now that all the required scopes are defined, associated to your desk, and assigned to the designated user types, it is time to verify that your SD users can access only the tickets related to them. For this, we use the tickets that have already been created in your desk. We start with SD Admins, then SD techs, then contacts, and finally the machine users.


Verify the SD admins' ticket access.

- 108. Select the SD Admin role.
- 109. Select the System/Master scope.
- 110.Go to Service Desk > Tickets.
- 111. Observe that you can see all three tickets previously created in your desk.




Verify the SD techs' ticket access.

- 112. Select the SD-Technician-<USERNAME> role.
- 113. Select the *SD-Technician-<USERNAME>* scope.
- 114.Go to Service Desk > Tickets.
- 115. Observe that you cannot see any of the three tickets previously created in your desk by the SD admin!




Add the organization and contact to your first ticket.

- 116. Select the SD Admin role.
- 117. Select the System/Master scope.
- 118.Go to Service Desk > Tickets.
- 119. Select the first ticket, which you created on behalf of Eli User from the SCIS department, in the right pane.
- 120.Click on Edit.




- 121. Click on the magnifying glass next to the Organization field.
- 122. Choose the contact for the SCIS department, namely, Cat Contact.
- 123.Click on OK.
- 124. Click on Save and Close.




Add the organization and contact to your second ticket.

- 125. Select the second ticket, which you created for testing purposes, in the right pane.
- 126.Click on Edit.




- 127. Click on the magnifying glass next to the Organization field.
- 128. Choose your user as the contact for this test ticket.
- 129.Click on OK.
- 130. Click on Save and Close.




Add the organization and contact to your third ticket.

- 131. Select the third ticket, which was created to test the email reader, in the right pane.
- 132.Click on Edit.




- 133. Click on the magnifying glass next to the Organization field.
- 134. Choose your user as the contact for this test ticket.
- 135.Click on OK.
- 136. Click on Save and Close.




Verify the SD techs' ticket access.

- 137. Select the SD-Technician-<USERNAME> role.
- 138. Select the SD-Technician-<USERNAME> scope.
- 139.Go to Service Desk > Tickets.
- 140. Observe that now a SD tech can see all three tickets previously created in your desk by the SD admin. As all these three tickets are now associated with the *fiu-<USERNAME>* organization, therefore they are all accessible by the SD techs.



Verify the contacts' ticket access.

- 141. Select the Contact-<USERNAME> role.
- 142. Select the scis-<USERNAME> scope.
- 143.Go to Service Desk > Tickets.
- 144. Observe that the SCIS contact is not able to see any of the three preciously created tickets, not even the one created on behalf of Eli, who is an end user from SCIS.




You remember that when you created the ticket on Eli's behalf, you did not specify that the machine belongs to the SCIS department. Specify the machine group in your first ticket.


- 145. Select the SD Admin role.
- 146. Select the *System/Master* scope.
- 147.Go to Service Desk > Tickets.

148. Select the first ticket, which you created on behalf of Eli User from the SCIS department, in the right pane.

149. Click on Edit.




- 150. Click on the magnifying glass next to the Machine Id field.
- 151. Choose the SCIS machine group, namely, fiu-<USERNAME>.scis.
- 152.Click on OK.
- 153. Click on Save and Close.



Verify the contacts' ticket access.


- 154. Select the Contact-<USERNAME> role.
- 155. Select the *scis-<USERNAME>* scope.
- 156.Go to Service Desk > Tickets.

157. Observe that the SCIS contact is now able to see the first ticket that was created on a SCIS end user's behalf.



Verify the machine users' ticket access.


- 158. Remote login to ws1.
- 159. Double click on the Kaseya icon in the system tray.
- 160. Click on *Ticketing* in the left pane.
- 161.Make sure that the *<USERNAME>_SD* is selected for the *Service Desk* dropdown box in the bottom right pane.
- 162. Observe that the ws1 machine user is not able to see the ticket that was created on his behalf.




You realized that you specified the machine group of the machine with the issue, but you did not exactly specify which machine. Specify the machine id in your first ticket.

- 163. Select the SD Admin role.
- 164. Select the System scope.

- 165.Go to Service Desk > Tickets.
- 166. Select the first ticket, which you created on behalf of Eli User from the SCIS department, in the right pane.
- 167.Click on Edit.




- 168. Click on the magnifying glass next to the Machine Id field.
- 169.Choose ws1.
- 170.Click on OK.
- 171. Click on Save and Close.



Verify the machine users' ticket access.

- 172. Remote login to ws1.
- 173. Double click on the Kaseya icon in the system tray.

- 174. Click on *Ticketing* in the left pane.
- 175.Make sure that the *<USERNAME>_SD* is selected for the *Service Desk* dropdown box in the bottom right pane.
- 176. Observe that the ws1 machine user is now able to see the ticket that was created on his behalf.




You need to make sure different SD user types would be able to **view only** and **edit** the fields that they are supposed to. Also, when a SD user creates a new ticket, it should be clear what fields are **required** to be entered or must be **hidden**.

As the admin of the service desk, you are supposed not only to be exposed to any field, but also you should be able to edit any field. However, there are certain fields that you do not want to edit them by mistake; so, for such fields, you should set their access as view only. Let's first look at the field access set initially for SD admin.


To review the SD Admin field access to your desk, you can either change your user role and scope to that of SD Admin, or just login using the credentials of one of your SD Admins. Here, we simply select the former approach.

- 177. Select the *SD Admin* user role from the *Role* dropdown box on the upper right corner of your VSA page.
- 178. Select the *Master* (or *System*, if on SaaS) scope from the *Scope* dropdown box. Recall that you previously decided to assign the *Master* (or *System*) scope to your SD admins.
- 179.Go to Service Desk > Tickets.
- 180.Click on the New > New Ticket button in the right pane.
- 181. Observe which fields are view only, editable, required, and hidden



Review and change the editing template and field access for SD Admin.


- 182.Go to Service Desk > Role Preferences.
- 183. Select the SD Admin role type from the middle pane.
- 184. Click on the Service Desks tab in the right pane.
- 185. Select your desk, < USERNAME > SD.
- 186.Click on Change.
- 187. Observe which fields are, views only, editable, required, and hidden.



As you are happy with the default edit template and field access settings for SD Admin, you do not make any changes. As in your desk, you are the only SD Admin, and you typically use your default *Master / System* role, it is convenient if you do not have to change your role when manipulating your service desk. Therefore, you decide to review the edit template and field access for the *Master / System* role too.


Review the *Master / System* field access to your desk.

- 188. Select the *Master / System* user role from the *Role* dropdown box.
- 189. Select the *Master / System* scope from the *Scope* dropdown box.
- 190.Go to Service Desk > Tickets.
- 191.Click on the *New > New Ticket* button in the right pane.
- 192. Observe which fields are, view only, editable, required, and hidden.



Change the edit template and field access to your desk for Master/System.

- 193.Go to Service Desk > Role Preferences.
- 194. Select the Master/System role from the middle pane.
- 195.Click on the *Service Desks* tab in the right pane. You notice that your desk, *<USERNAME>_ SD*, is not listed.
- 196.Click on Assign.
- 197. Select your desk, <USERNAME>_SD, from the Service Desk dropdown box.
- 198. Select Default Editing Template from the Editing Template dropdown box.
- 199. Observe which fields are, view only, editable, required, and hidden by default.




You are happy with the default selection, which is exactly the same as that of the *SD Admin* field access settings.

200. Click on Save.

Verity that your changes to the *Master / System* field access; have been applied as you intended.


- 201. Select the Master / System user role from the Role dropdown box.
- 202. Select the *Master / System* scope from the *Scope* dropdown box.
- 203.Go to Service Desk > Tickets.
- 204. Click on the *New > New Ticket* button in the right pane.
- 205. Observe which fields are view only, editable, required, and hidden.



Name, Submitter Email, Organization Name, and Staff ID.


Unlike the SD Admins, SD techs must not be able to edit some fields, but should be able to view their values. Set the following field as view only: Creation Date and Time, Closed Date and Time, Due Date and Time, Actual Completed Date, Organization ID, Organization Address, Contact Email, Escalation, Stage Goal, Priority, and Stage

- 206. Select the SD-Technician-<USERNAME> user role from the Role dropdown box.
- 207. Select the SD-Technician-<USERNAME> scope from the Scope dropdown box.
- 208.Go to Service Desk > Tickets.
- 209.Click on the *New > New Ticket* button in the right pane.
- 210. Observe which fields are, view only, editable, required, and hidden.



Change the SD Tech Field Access.

- 211.Go to Service Desk > Role Preferences.
- 212. Select the SD-Technician-<USERNAME> role.
- 213.Click on the Service Desks tab in the right pane. You notice that your desk, <USERNAME>_ SD, is not listed.
- 214.Click on Assign.
- 215.Select your desk, <USERNAME> SD, from the Service Desk dropdown box.
- 216.Select Default Editing Template from the Editing Template dropdown box.
- 217. Make sure that the following fields are **required**: *Summary, Submitter Name, Submitter Email, Organization Name*, and *Staff ID*.
- 218. Make sure that the following fields are view only: Escalation, Stage Goal, Priority, and Stage.
- 219.Click on Save.




You would like the end user contacts to be **required** to enter the following fields: **Summary, Submitter Name, Submitter Email, Organization Name, and Staff ID**

The following fields should be view only: Creation Date and Time, Closed Date and Time, Due Date and Time, Actual Completed Date, Organization ID, Organization Address, Contact Email, Promise Date and Time, Source Type, Status, Resolution, and Source.


The following fields should be hidden for the end user contacts: Hidden Note Option, Suppress Notification Option, Note Template, Billable Option, Hidden Notes, Standard Rate, Override Rate, Owner, Locked By, Modified On, Escalation, Stage Goal, Priority, Stage, Locked On, Assignee, and KB Article Created.

- 220. Select the Contact-<USERNAME> user role from the Role dropdown box
- 221. Select the *scis-<USERNAME>* scope from the *Scope* dropdown box.
- 222.Go to Service Desk > Tickets.
- 223. Click on the New > New Ticket button in the right pane.
- 224. Observe which fields are, view only, editable, required, and hidden.



Change the Contact Field Access.

- 225.Go to Service Desk > Role Preferences.
- 226. Select the Contact-<USERNAME> role.
- 227.Click on the *Service Desks* tab in the right pane. You notice that your desk, *<USERNAME>_ SD*, is not listed.
- 228. Click on Assign.
- 229. Select your desk, <USERNAME>_ SD, from the Service Desk dropdown box.
- 230. Select Default Editing Template from the Editing Template dropdown box.
- 231.Make sure that the following fields are **required**: *Summary, Submitter Name, Submitter Email, Organization Name*, and *Staff ID*.
- 232.Make sure that the following fields are **view only**: Creation Date and Time, Closed Date and Time, Due Date and Time, Actual Completed Date, Organization ID, Organization Address, Contact Email, Promise Date and Time, Source Type, Status, Resolution, and Source
- 233.Make sure that the following fields are **hidden**: Hidden Note Option, Suppress Notification Option, Note Template, Billable Option, Hidden Notes, Standard Rate, Override Rate, Owner, Locked By, Modified On, Escalation, Stage Goal, Priority, Stage, Locked On, Assignee, and KB Article Created
- 234. Click on Save.



You would like the machine users to had almost the same field access as the contacts, but a bit more restricted and the editing template should be the one more appropriate for Live Connect (Access Portal).

You would like the end user contacts to be **required** to enter the following fields: **Summary, Submitter Name, Submitter Email, Organization Name, and Staff ID.**


The following fields should be view only: Creation Date and Time, Closed Date and Time, Due Date and Time, Actual Completed Date, Organization ID, Organization Address, Contact Email, Promise Date and Time, Note time, Source Type, Status, Resolution, and Source.

The following fields should be hidden for the end user contacts: Hidden Note Option, Suppress Noti-

fication Option, Note Template, Billable Option, Hidden Notes, Standard Rate, Override Rate, Owner, Locked By, Modified On, Escalation, Activity, Work Order, Resource Type, Stage Goal, Priority, Stage, Locked On, Assignee, and KB Article Created.

The following fields should be editable for the end user contacts: Category, Note, Severity, and Urgency.

- 235. Remote login to ws1.
- 236. Double click on the Kaseya icon agent in the system tray.
- 237.Click on Ticketing.
- 238. Click on the New > New Ticket button in the right pane.
- 239. Observe which fields are, view only, editable, required, and hidden.




- Change the Machine User Field Access.
 - 240.Go to Service Desk > Role Preferences.
 - 241. Select the default role.
 - 242. Click on the Service Desks tab in the right pane.
 - 243. Select your desk, <USERNAME>_SD, from the listed.
 - 244. Click on Change.
 - 245. Select Live Connect from the Editing Template dropdown box.
 - 246. Make sure that the following fields are required: Summary, Submitter Name, Submitter Email, Organization Name, and Staff ID.
 - 247. Make sure that the following fields are view only: Creation Date and Time, Closed Date and Time, Due Date and Time, Actual Completed Date, Organization ID, Organization Address, Contact Email, Promise Date and Time, Note time, Source Type, Status, Resolution, and Source.
 - 248. Make sure that the following fields are hidden: Hidden Note Option, Suppress Notification Op-

tion, Note Template, Billable Option, Hidden Notes, Standard Rate, Override Rate, Owner, Locked By, Modified On, Escalation, Activity, Work Order, Resource Type, Stage Goal, Priority, Stage, Locked On, Assignee, and KB Article Created.

249. Make sure that the following fields are editable: Category, Note, Severity, and Urgency.

250. Click on Save.




Note: Under the *Service Desk > User Preferences* each user has their own User Preferences settings. However it cannot overwrite restrictions applied by the Role Preferences.




To utilize your resources efficiently, you need to learn about the skill set of each and every one of your team members, and accordingly assign them to appropriate resource pools. This way, you can best utilize their time and experience.

Based on the skill set and experience of your support team member, you decide to divide them into two resource pools. You also decide to define a resource pool for the support management.


- Delete Tier3 Support pool, and then add Ted, Tia, Tim, and Tud to Tier1 Support pool; and Tom and Tru to Tier2 Support pool.
 - 251.Go to Service Desk > Desk Definition.
 - 252. Select your desk, <USERNAME>_SD from the list in the top right pane.
 - 253. Navigate to *Access > Pools* tab in the bottom right pane. Observe that 4 resource pools have already been defined for your desk.
 - 254. Select *Tier3Support* from the list.
 - 255.Click on Delete.
 - 256.Click on Yes...




- Adding SD Techs to Tier 1 Support Pool
 - 257.Go to Service Desk > Desk Definition.
 - 258. Select your desk, <USERNAME>_SD from the list in the top right pane.
 - 259. Navigate to *Access > Pools* tab in the bottom right pane.
 - 260. Select Tier1 Support from the list.
 - 261.Click on Edit.
 - 262. Using the *Shift* and *Ctrl* keys, select all the technicians that you intend to assign to this pool from the left list. The usernames are Ted-<*USERNAME*>, Tia-<*USERNAME*>, Tim-<*USERNAME*>, and Tud-<*USERNAME*>.
 - 263. Click on the right arrow button to move the selected technicians to the right list.
 - 264.Click on Save.



- Adding SD Techs to Tier 2 Support Pool
 - 265.Go to Service Desk > Desk Definition.
 - 266. Select your desk, <USERNAME>_SD from the list in the top right pane.
 - 267. Navigate to *Access > Pools* tab in the bottom right pane.
 - 268. Select Tier2Support from the list.
 - 269. Click on Edit.
 - 270. Using the *Shift* and *Ctrl* keys, select all the technicians that you intend to assign to this pool from the left list. The usernames are Tom-<*USERNAME*> and Tru-<*USERNAME*>.
 - 271. Click on the right arrow button to move the selected technicians to the right list.
 - 272.Click on Save.



- Adding SD Admins to Support Management
 - 273.Go to Service Desk > Desk Definition.
 - 274. Select your desk, <USERNAME>_SD from the list in the top right pane.
 - 275. Navigate to *Access > Pools* tab in the bottom right pane.
 - 276. Select SupportManagement from the list.
 - 277. Click on Edit.
 - 278. Using the *Shift* and *Ctrl* keys, select all the SD Admins that you intend to assign to this pool from the left list. The only SD admin in your desk is your own username, *<USERNAME>*.
 - 279. Click on the right arrow button to move the selected technicians to the right list.
 - 280.Click on Save.



Automatic processing of tickets in Service Desk can be triggered by

- The creation of the ticket
 - Begin Stage Entry Procedure
 - Ticket Request Mapping/De-Dup Procedures
- the transition from one stage to another
 - Stage Entry or Exit Procedures
- any changes to the ticket
 - Ticket Change Procedure
- a ticket remaining in a stage or not closed beyond some time
 - Goal and Escalation Procedures

Note: Service procedures can call/execute sub-procedures, enabling code reuse and modular automation. Service procedures can also trigger the running of an agent procedure on a managed machine using the Schedule Procedure step.

To modify the automation in your desk, you need to follow these steps:

- Specify the Required Behavior
- Identify the Affected Procedures
- Adjust the Procedures
- Verify the Changes

Automatic Categorization


When a new ticket is created by a user, if the category is not set, set it as follows:

- If the summary includes "Panther", set the category to "Software Error" and sub-category to "PantherSoft".
- Otherwise, if includes "Print", the category is "Hardware Error" and sub is "Printer".
- Otherwise, if includes "Purchase", the category is "Purchase", sub is "Request for Purchase".
- Otherwise, if includes "Quote", the category is "Purchase", sub is "Request for Quote".


To verify the changes to the sub-procedure, you create 5 tickets to test its new behavior as follows:

- Summary includes "PantherSoft".
- Summary includes "PantherSoft", but it is already categorized to "Service Request".
- Summary includes "Printer".
- Summary includes "purchase".
- Summary includes "quote".
- 6. Click on Operation > Tickets.


7. Click on New > New Ticket




8. Type The Summary includes PantherSoft in the Summary textbox and click on Save and New.



- 9. Type The summary includes the keyword PantherSoft, but is categorized in the Summary textbox.
- 10. Click on Category dropdown menu and select Service Request.
- 11. Click on SubCategory dropdown menu and Select Guidance Question.
- 12. Click on Save and New.



Repeat the above steps for the rest of the tickets.



When a new ticket is created, the priority of the ticket must be calculated based on the severity and urgency of the ticket. Accordingly to the calculated priority, the escalation, stage goal, and ticket due times must be set. The submitter and tier1 team must be notified.

Priority must have one of the five possible values, namely, *Critical, High, Medium, Low,* and *Planning*. The priority levels must be defined as follows.

- Critical is Priority 1
- High is Priority 2
- Medium is Priority 3
- Low is Priority 4
- Planning is Priority 5

Priority level must be calculated based on Severity and Urgency as follows.

Severity/Urg ency	High	Medium	Low
High	Priority 1	Priority 2	Priority 3
Medium	Priority 2	Priority 3	Priority 4
Low	Priority 3	Priority 4	Priority 5


Escalation Time, Stage Goal Time, and Ticket Goal Time must be set as follows. Values in the table are in hours.

Priority	Default_SLA			
	Escalation Time	Stage Goal Time	Ticket Goal Time	
Priority 1	4	9	36	
Priority 2	8	17	68	
Priority 3	16	33	132	
Priority 4	32	65	260	
Priority 5	64	129	516	

Note: You may have noticed that the stage goal times for different priorities allows for two stage escalations. Also, the ticket goal times for different priorities are 4 times the corresponding stage goal times, counting for the *Identified, Tier1, Tier2, and Solved* stage goal times. This is just one way of coming up with the related values for stage and ticket goal times; your desk may be very different.


Adjust Calculate Priority; make sure that all the steps setting the escalation and goal times are eliminated. Next, you need to create three procedures that separately set the escalation time, stage goal time, and ticket goal time, based on the calculated priority. Also, you need to fix the values for the existing procedure variables, and add new variable, if need be.

- 13. Go to Sub-Procedure page.
- 14. Double-Click on Calculate Priority procedure.




- 15. Select the steps that set Escalations and goals.
- 16. Click on Delete button.


Repeat the steps for every step that sets Escalation and Goal.




17. Click on Save and Close.




- Now, you need to create sub-procedure to set the Escalation Time.
- 18. Click on New Procedure.
- 19. Type **Set Escalation Time** in the *Name* textbox and click on *New IF*.



- 20. Click on Condition Type and select
- 21. Click on The Name of the property test and select Priority.
- 22. Click on the next dropdown menu and select Contains.
- 23. Type Critical the textbox and click on New Step.




- 24. Click on Step Type dropdown menu and select Set Escalation Time.
- 25. Type [=Escalation_Priority1=] in the textbox
- 26. Click on The Unit of time dropdown and select Hours using Coverage Schedule.
- 27. Click on New IF.



Repeat the above steps for all 5 Escalation Priorites and click on Save and Close.


Priority	Escalation Time
Critical	Escalation_Priority1
High	Escalation_Priority2
Medium	Escalation_Priority3
Low	Escalation_Priority4
Planning	Escalation_Priority5




- Next, you need to create set the procedure variables corresponding to the Escalation times with respect to the five different priorities in your desk according to the below table.

Priority	Escalation Time (h)
Priority 1	4
Priority 2	8
Priority 3	16
Priority 4	32
Priority 5	64

- 28. Go to Procedure Variable.
- 29. Select the radio button next to Escalation_Priority1.
- 30. Click on Edit.



31. Type 4 in the value textbox and click on Save.




Repeat the above steps for all of the Escalation Priority and set the value according to the table.


- Next, you need to create sub-procedure to set the Stage Goal Time using the below table.

Priority	Stage Goal Time
Critical	SLA_Priority1
High	SLA_Priority2
Medium	SLA_Priority3
Low	SLA_Priority4
Planning	SLA_Priority5


- 32. Go to Sub-Procedure page.
- 33. Click on ITIL Sub-Procedures folder.
- 34. Click on New Procedure.




35. Type Set Stage Goal Time in the Name textbox and click on New IF.




- 36. Click on Condition Type dropdown menu and select Test Property value of a New Ticket.
- 37. Click on *The Name of the property to test* dropdown menu and select *Priority.*
- 38. Click on the next dropdown menu and select Contains.
- 39. Type Critical in the textbox and click on New Step.



- 40. Click on Step Type dropdown menu and Select Set Goal Time.
- 41. Type [=SLA_Priority1=] in the textbox and click on The Unite of time dropdown menu
- 42. Select Hours Using Coverage Schedule.



Repeat the above steps for all of the SLA Priorities and click on Save and Close.




- Next, you need to create set the procedure variables corresponding to the stage goal times with respect to the five different priorities in your desk according to the below table.


Priority	Stage Goal Time (h)
Priority 1	9
Priority 2	17
Priority 3	33
Priority 4	65
Priority 5	129

- 43. Go to Procedure Variables page.
- 44. Select the radio button next to SLA_Priority1.

45. Click on Edit.



46. Type **9** in the value textbox and click on Save




Repeat the steps above for all 5 priorities.


- Next, you need to create sub-procedure to set the Ticket Goal Time.

Priority	Ticket Goal Time
Critical	Goal_Priority1
High	Goal_Priority2
Medium	Goal_Priority3
Low	Goal_Priority4
Planning	Goal_Priority5


- 47. Go to Sub-Procedure page and click on New Procedure.
- 48. Type Set Ticket Goal Time in the Name textbox and click on New IF.




- 49. Click on Condition Type dropdown menu and select Test Property value of a New Ticket.
- 50. Click on The name of the property to test dropdown menu and select Priority.
- 51. Click on the next dropdown menu and select Contains.
- 52. Type Critical in the textbox and click on New Step.



- 53. Click on Step Type dropdown menu and select Set Ticket Goal Time.
- 54. Type **[=Goal_Priority1=]** in the textbox and click on *The Unite of time* dropdown menu.
- 55. Select Hours using Coverage Schedule from the list.




Repeat the above step for all of the Goal Priorities and click on Save and Close




- Finally, you need to add more procedure variables corresponding to the ticket goal times with respect to the five different priorities in your desk according to below table.

Priority	Ticket Goal Time (h)
Priority 1	36
Priority 2	68
Priority 3	132
Priority 4	260
Priority 5	516

- 56. Go to Procedure Variable page
- 57. Click on New.




- 58. Type Goal_Priority1 in the Name textbox.
- 59. Click on Set dropdown menu and select All.
- 60. Type **36** in the *Value* textbox.
- 61. Click on Save.




Repeat the above steps for all 5 Goal Priorities according to the table.

To adjust *Incident enters Identified*, you need to call the three new procedures right after *Calculate Priority* is called. You notice the use of *Email_Tier1Support* for referring to *Tier1Support* pool, which introduce inconsistency to your desk. To address this issue, instead of *Email_Tier1Support* use *Pool*. Remove the *Set Escalation Time* step.


- Adjust the Incident enters Identified procedure
- 62. Go to Stage Entry and Exit page.
- 63. Select Incident Enters Identified procedure.
- 64. Click on Edit Procedure.




- 65. Select the last step, namely, the Set Escalation Time step.
- 66. Click on Delete.




- 67. Select Send an email to [=Email_Tier1Support=] step.
- 68. Type [\$Pool\$] in To: textbox.
- 69. Click on New Step.




- 70. Click on Step Type dropdown menu
- 71. Select Execute a Common Procedure.
- 72. Click on Select the script to execute dropdown menu
- 73. Select ITIL Sub-procedures. Set Escalation Time.
- 74. Click on New Step.



- 75. Click on Step Type dropdown menu and Select Execute a Common Procedure.
- 76. Click on Select the script to execute dropdown menu and select ITIL Sub-procedures. Set Stage GoalTime.
- 77. Click on New Step.




- 78. Click on Step Type dropdown menu and select Execute a Common Procedure.
- 79. Click on Select the script to execute dropdown menu and select ITIL Sub-procedures. Set Ticket GoalTime.
- 80. Click on Save and Close.




To verify the changes to the *Incident enters Identified* procedure and its *Calculate Priority* sub-procedures. Create 9 tickets that include all the 9 combinations of different *Severity* and *Urgency* values. Verify the calculated *Priority*. Based on the ticket creation times, calculated priorities, and default SLA coverage schedule, verify the escalation and goal times.


81. Go to Operations > Tickets and click on New > New Ticket.



- 82. Type **Test#1** in the Summary textbox.
- 83. Click on Urgency dropdown menu and Select High.
- 84. Click on Severity dropdown menu and Select Whole Company(High)



Repeat the above steps for other 8 tickets using combination of different Severity and Urgency.



1. Ticket enters Tier1


When a ticket enters Tier1, do the following

If the ticket has already been assigned to an individual, make that individual to be the owner of the ticket. The owner of a ticket is the person who is ultimately responsible for resolving the ticket.


The stage escalation and goal times must be reset based on the freshly calculated priority.

The status of the ticket should reflect that it is in progress. The stage escalation and goal times must be reset based on the freshly calculated priority.


- 85. Go to Stage Entry and Exit page.
- 86. Select Incident enters Tier1 procedure.
- 87. Click on Edit Procedure.




- 88. Click on Sets Owner to [\$Assignee\$] step and click on Delete.
- 89. Click on New IF.
- 90. Click on Condition Type dropdown menu and select Tests a Property value of the New Ticket.
- 91. Click on The name of the property test dropdown menu and Select Assignee from the list.
- 92. Click on the dropdown menu and Select Exists.
- 93. Click on New Step.



- 94. Click on Step Type dropdown menu and Select Assign Ticket Property.
- 95. Click on The name of the property dropdown menu and Select Owner.
- 96. Type [\$Assignee\$] in the textbox and click on New Step.



Repeat the above steps.



Note: When a VSA user sets the *Assigned To* field (in the ticket editing form) to a specific SD technician, the *Assignee* ticket property is set to the SD technician and the *Pool* ticket property does not exist anymore. Vice versa, when a VSA user sets the *Assigned To* field (in the ticket editing form) to a specific pool, the *Pool* ticket property is set to the pool and the *Assignee* ticket property does not exist anymore.


Note: When a ticket transits to a new stage, the *Escalation Level* is reset to 0, and the *Escalation Time* and *Stage Goal Time* are reset to the values defined in the stage. If you want to set the *Escalation Time* and *Stage Goal Time* based on the calculated *Priority* of the ticket, you need to set them using the *Set Escalation Time* and *Set Goal Time* commands.

2. Ticket enters Tier2


No matter who is the *Assignee* of the ticket, when ticket transits to *Tier2*, it must be assigned to *Tier2Support* pool. Notify the tier2 members by VSA message and tier2 and submitter by email. The *Escalation Time* and *Stage Goal Time* must be reset based on the freshly calculated *Priority*. The *Status* must be *In Progress*.

You need to set the *Pool* to *Tier2Support* pool. You need to use *Pool* instead of *Email_Tier2Support* to address the inconsistency issue. You need to call the sub-procedures for calculating the priority and for setting the escalation and stage goal times. You need to make sure that *Status* is *In Progress*.


- 97. Select Incident enters Tier2 procedure.
- 98. Click on Edit Procedure.




- 99. Select Send an email Step.
- 100. Type [\$Pool\$] in the To textbox and click on New Step.



- 101. Click on Step Type dropdown menu and Select Assign Ticket Property.
- 102. Click on The name of the property dropdown menu and Select Pool.
- 103. Type **Tier2Support** in the textbox and click on *New Step*.




Repeat the above steps.




3. Ticket enters Solved

Notify the submitter by email. The *Escalation Time* and *Stage Goal Time* must be reset based on the freshly calculated *Priority*. *Status* must be *Solved*.

- 104.Then
- 105. Select Incident enters Solved procedure.
- 106.Click on Edit Procedure.



- 107. Click on New Step.
- 108. Click on Step Type dropdown menu and select Execute a common procedure.
- 109.Click on Select the script to execute dropdown menu and select ITIL Sub-procedure. Calculate Priority.




4. Ticket enters Closed


Notify the submitter by email. Status must be Closed. To adjust the procedure.

- 110. Double-click on *Incident enters Closed* procedure.
- 111.Click on New IF.
- 112.Click on Condition Type dropdown menu and Select Test a Property value of the New Ticket.
- 113. Click on The name of property to test dropdown menu and select Status.
- 114. Click on the dropdown menu and Select Does Not Contain.

115. Type Closed in the textbox and click on New Step.



- 116. Click on Step Type dropdown menu and Select Assign Ticket Property.
- 117. Click on *The name of the property* dropdown menu and Select *Status*.
- 118. Type Closed in the textbox and click on New Step then click on Save and Close.



5. Stage escalated


For the *Identified*, *Tier1*, and *Tier2* stages:

- If the ticket has been assigned to an individual, notify the individual by email.
- Make sure that the ticket is assigned properly to the pool associated with the stage and then notify the pool by email.
- Ticket should be escalated at most twice in a stage.


If Assignee exists, notify by email. Set Pool to Tier1Support, if in Identified or Tier1 stage; Set Pool to Tier2Support, if in Tier2 stage. Notify the pool by email. If Escalation Level is equal to one, then call Set

Escalation Time sub-procedure.

- 119.Go to Escalation page.
- 120. Navigate to < USERNAME > _ SD folder.
- 121. Click on Stage Escalated procedure.
- 122. Click on Edit procedure.




- 123. Select Send an email to Step.
- 124. Click on Delete button.
- 125. Select Sends the message Step.
- 126.Click on Delete button.




- 127. Click on New Step.
- 128. Click on Step Type dropdown menu and Select Add a Note.

129. Type **Ticket was escalated to stage [\$Stage\$] with escalation level of [\$Escalation\$]** in the textbox and click on *New Step*.




Repeat the steps and finish adding steps to the procedure and click on Save and Close.




6. Solution unconfirmed by user

For the Solved stage:


- Notify the submitter by email.
- Ticket should be escalated at most twice in a stage.
- Notify the submitter by email.
- If Escalation Level is equal to one, then call Set Escalation Time sub-procedure.
 - 130. Click on Solution unconfirmed by user procedure.
 - 131.Click on Edit Procedure.




- 132. Select Sets Stage to Closed step.
- 133.Click on Delete button.
- 134. Select Sets Status to Closed step.
- 135.Click on Delete button.



- 136.Click on New Step.
- 137. Click on Step Type and select Add a Note.
- 138. Type **Ticket was escalated to stage [\$Stage\$] with escalation level of [\$Escalation\$]** in the textbox and click on *New Step*.



Repeat the steps and complete modifying the procedure and click on Save and Close.



7-11 Goal Procedures

Recall that all the goal procedures were left empty. You would want if the ticket misses its goal, the support management to be notified. If the ticket is in *Identified* or *Tier1*, it should move to *Tier1* or *Tier2*, respectively. If the ticket misses its goal in *Tier2*, the support management must be notified. If the ticket misses its goal in *Solved*, the *Assignee* or *Pool* must be notified.


Note: We add a note for testing purposes at the beginning of each goal procedure. If you add notes for testing purposes, you should remove them when done with your testing.

Finally, you should delete the extra stage goal procedures to avoid any confusion in the future and to make your desk look as simple as possible.


139.Go to Goal page.

140. Click on Identified Goal procedure.


141.Click on Edit Procedure.




- 142.Click on New Step.
- 143. Click on Step Type dropdown menu and select Add a Note.
- 144. Type **Ticket missed the stage goal at the stage [\$Stage\$]** in the textbox and click on *New Step*.




Repeat the steps and complete modifying the procedure and click on Save and Close.




- 145. Click on *Tier1 Goal* procedure.
- 146. Click on Edit Procedure.




- 147. Click on New Step.
- 148. Click on Step Type dropdown menu and select Add a Note.
- 149. Type **Ticket missed the stage goal at the stage [\$Stage\$]** in the textbox and click on *New Step*.




Repeat the steps and complete modifying the procedure and click on Save and Close.




- 150.Click on Tier1 Goal procedure.
- 151.Click on Edit Procedure.




- 152.Click on New Step.
- 153.Then
- 154. Click on Step Type dropdown menu and select Add a Note.
- 155. Type **Ticket missed the stage goal at the stage [\$Stage\$]** in the textbox and click on *New Step*.




- 156. Click on Step Type dropdown menu and Select Send a message to Pool Users.
- 157. Click on The pool of users dropdown menu and Select SupportManagement.
- 158.Click on *The message to send to the users* dropdown menu and *Select All Ticket Property Variables*.
- 159. Click on Save and Close




- 160. Select Solved Goal procedure
- 161.Click on Edit Procedure.




- 162.Click on New Step.
- 163. Click on Step Type dropdown menu and Select Add a Note
- 164. Type **Ticket missed the stage goal at the stage [\$Stage\$]** in the textbox and click on *New Step*.




Repeat the steps and complete modifying the procedure and click on Save and Close




- 165.Go to Desk Definition.
- 166. Select the radio button next to *SERNAME*, SD.
- 167.Click on Processing tab.
- 168.Click on Stage tab.
- 169. Select the radio button next to Solved.
- 170.Click on Edit.




- 171.Click on the Goal Procedure dropdown menu and Select <USERNAME>_SD.Solved Goal.
- 172.Click on Save.




- 173.Go to Goal page.
- 174. Select Incident Goal-All Stage procedure
- 175.Click on Edit.




- 176.Click on New Step.
- 177. Click on Step Type dropdown menu and Select Add a Note
- 178. Type **Ticket missed its due time while still being at stage [\$Stage\$]** in the textbox and click on *New Step*.




- 179. Click on Step Type dropdown menu and Select Send Message to Pool Users.
- 180.Click on *The pool of users to send the message* dropdown menu and Select *SupportManagement*.
- 181.Click on *The message to send to the users* dropdown menu and Select *All Ticket Property variables*.
- 182.Click on Save and Close.




- 183.Go to Desk definition.
- 184. Select the radio button next to *SERNAME*, SD.
- 185.Click on Edit.



- 186.Click on Procedures tab.
- 187.Click on *Goal Procedure* dropdown menu and Select *<USERNAME>_SD.Incident Goal-All Stages.*
- 188.Click on Save.



- -Finally, you should delete the extra stage goal procedures to avoid any confusion in the future and to make your desk look as simple as possible
 - 189.Go to Goal page
 - 190. Select the procedures that are not being used.
 - 191.Click on Delete Procedure.
 - 192..Delete



12. Ticket is Changed


If a SD technician changes a ticket while it is in the Identified stage and its Status is new, then the ticket should transit to Tier1 and be assigned to the SD technician. If the stage of the ticket has not changed, but the content of the ticket has been modified, you should notify the submitter.

To verify the changes that you have done to all the affected procedures in this part, you should develop a number of test suites. We leave this part to you. You can follow what we have done in the previous parts to accomplish this task. In this part, we only create one ticket and wait until **the due time is missed**, then

we move it to Solved and wait until the Solved stage goal is missed.

Note: To be able to see when the escalation and goal procedures are called, we added a note at the beginning of all escalation and goal procedures. We did not choose to make the notes hidden, so that the hidden notes created by VSA do not clutter our added notes. To be able to quickly see the effects of escalation and goal procedures, we temporarily modified the escalation, stage goal, and ticket due time to 1, 3, 12 min.


- 193.Go to Ticket Change page.
- 194. Navigate to Shared > <USERNAME>_SD folder.
- 195. Select Incident Change procedure.
- 196.Click on Edit Procedure.




197.Click on New IF.

198.Click on Condition Type dropdown menu and select Test Property value of a New Ticket.

- 199.Click on the Name of the property test and select Stage.
- 200. Click on the next dropdown menu and Select Contains.
- 201. Type Identified in the textbox and click on New Step.



Repeat the steps and complete modifying the procedure and click on Save and Close




Part 12


A *Ticket Request De-Dup* procedure compares a ticket request with existing tickets to determine if the ticket request is a duplicate. If a ticket request is a duplicate of existing tickets, the ticket request is canceled.

To adjust the ticket request de-dup service procedure associated with your desk, you need to follow these steps

- 1. Go to Service Desk > Procedures Definition > Ticket Request De-Dup.
- 2. Navigate to Shared > <USERNAME>_SD >
- 3. Click on Incident De-Duplication.
- 4. Click Edit Procedure.



- Add a step to check whether the email is a duplicate by looking for a matching email sent in the past 24 hours with the same source type, first and second reference field, and the same machine id and group.
- If the email is a duplicate, add a note to the original ticket that indicates a duplicate email was sent.
- Click Save and Close.




Part 13

You realized that you should not treat handling the issues related to the servers in the *mr* the same way you treat the issues related to the instructional computers in *scis* and *cec* and guest computers in *gl*. In addition to the default policy that you defined before, you decide to define three policies, namely, *Gold_SLA*, *Silver_SLA*, and *Bronze_SLA*, and associate them to machines in *mr*, *scis/cec*, and *gl*, respectively.


Redefining Values for the Procedure Variables for Gold_SLA

Priority	Gold_SLA			
	Escalation (h)	Stage Goal (h)	Ticket Goal (h)	
Priority 1	1	3	12	
Priority 2	2	5	20	
Priority 3	4	9	36	
Priority 4	8	17	68	


- 1. Go to Policies page.
- 2. Select the radio button next to Gold_SLA
- 3. Click on Variables tab.
- 4. Click on New.



- 5. Click on the Variable dropdown menu and Select Escalation_Priority1.
- 6. Type 1 in the Value textbox.
- 7. Click on Save.




Repeat the above steps for all of the Escalations, Goals, and SLAs.



- 8. Go to Coverage Schedule page.
- 9. Select the radio button next to 7x24.
- 10. Click on Standard Hours tab.


Make sure coverage schedule is set correctly.




Redefining Values for the Procedure Variables for Silver_SLA

Priority	Silver_SLA			
	Escalation (h)	Stage Goal (h)	Ticket Goal (h)	
Priority 1	2	5	20	
Priority 2	4	9	36	
Priority 3	8	17	68	
Priority 4	16	33	132	


- 11. Go to Policies page.
- 12. Select the radio button next to Gold_SLA
- 13. Click on Variables tab.
- 14. Select the radio button next to Escalation_Priority1.
- 15. Click on Edit.




- 16. Type 2 in Value textbox.
- 17. Click on Save.




- 18. Click on New.
- 19. Click on the Variable dropdown menu and Select Escalation_Priority2.
- 20. Type 4 in the Value textbox.
- 21. Click on Save.




Repeat the above steps for all of the Escalations, Goals, and SLAs




- 22. Go to Coverage Schedule page.
- 23. Click on Standard Hours tab.
- 24. Click on the radio button next to M-F.




- 25. Click on Edit
- 26. Click on the Begin Hour dropdown menu and select 8:00:00 am.
- 27. Click on End Hour dropdown menu and select 9:00:00 pm.
- 28. Click on the Time Zone dropdown menu and Select < YOURTIMEZONE>.
- 29. Click on Save.



- 30. Click on New.
- 31. Click on Days Covered dropdown menu and select Weekends.
- 32. Select the radio button next to No Coverage.
- 33. Click on the Time Zone dropdown menu and Select <YOURTIMEZONE>.
- 34. Click on Save.




- 35. Click on New.
- 36. Click on Days Covered dropdown menu and select Default Holidays.
- 37. Select the radio button next to No Coverage.
- 38. Click on the Time Zone dropdown menu and Select <YOURTIMEZONE>.
- 39. Click on Save.




Redefining Values for the Procedure Variables for Bronze_SLA

Priority	Bronze_SLA			
	Escalation (h)	Stage Goal (h)	Ticket Goal (h)	
Priority 1	3	7	28	
Priority 2	6	13	52	
Priority 3	12	25	100	
Priority 4	24	49	196	


- 40. Go to Policies page.
- 41. Click on Variables tab.
- 42. Click on New




- 43. Click on the Variable dropdown menu and select Escalation_Priority2.
- 44. Type 6 in the Value textbox.
- 45. Click on Save.




Repeat the above steps for all of the Escalations, Goals, and SLAs



- 46. Go to Coverage Schedules page.
- 47. Select the radio button next to 5x13.
- 48. Click on Standard Hours tab.
- 49. Make sure M-F, Weekends, and Default Holidays are set correctly.



- 50. Go to Desk Definition page.
- 51. Select the radio button next to <USERNAME> SD.
- 52. Click on Processing tab.
- 53. Click on the Associated Policies tab.
- 54. Assigne GL machine group to Bronze_SLA, MR to Gold_SLA, CEC and SCIS to Silver_SLA.



We leave this part to you to develop some representative test suites to verify that, Tickets created by the end users of different machines will end up with different policies. Accordingly, the escalation, stage goal, and ticket due times will be overwritten by the corresponding policy.

Part 14

There might be a requirement that you need to prevent any further changes to a ticket unless a set of predefined conditions are met.

How do we create a "Forcing Function" within the Service Desk Procedure?

How do we notify the editing user what the prerequisites are?

In the example we are setting up an approval request that can only be approved by One User (Username=Tim Contact).

Steps are:

- 1. Creating a Request for Approval Status
- 2. Editing the Change Procedures to check for the Conditionals
 - Check for the Request for Approval status
 - Check whether the right editing user is allowed to make the changes
 - Ensure that the Status is set to reflect the State of the ticket.

Part 15

When a ticket is in Solved Stage and end user replied that the issue still exists, we need to insert a process to reopen that ticket.

Note: Ticket in an end stage cannot be reopened. This is the reason why we add a Solved stage to ensure that the end user no longer is experiencing the issue.

Steps:

- 1. Check for ticket in solved stage
- 2. Check that the person editing the ticket is the submitter or end user.
- 3. If both conditions are TRUE, Then reopen the ticket.
- 4. Optional: Create a new Status for reopen tickets

Part 16

Items to consider to complete the procedure automation:

- The Helpdesk Technicians assigns the status of Waiting For User Feedback for the status.
- 2. Suspend Escalation or move the ticket to suspended stage
- 3. Send email to end user asking for more feedback
- 4. Send email to the Assignee of the ticket when the end user replies back with more information
- Change ticket status back to In Progress

Items to consider to complete the procedure automation:

- The Helpdesk Technicians assigns the status of Waiting For User Feedback for the status.
 - Add new Status entry if status does not exist
- Suspend Escalation or move the ticket to suspended stage
 - Add a step in the change procedure to suspend escalation
- 8. Send email to end user asking for more feedback

- Add a step in the change procedure to the end user
- Review or add a Message Template for the email content
- Send email to the Assignee of the ticket when the end user replies back with more information
 - Check when an information is received and send out the email
- 10. Change ticket status from Waiting For User Feedback
 - Add a step in change procedure after the email notification to the Assignee

Part 17

Create an Agent Procedure to (a) collect information and (b) store it on the Kaseya Server. Create Service Desk Procedure to check of the existence of the Collected Data in the stored location defined in the Agent Procedure. If data exist, then append the information to the Notes of a Ticket.

When a CPU Utilization Alert occurs, Kaseya can automatically create a ticket. When the ticket is created, check for the Monitor Set name in the ticket description. Assign a specific category and execute an Agent Procedure on the machine that created the alert. The agent procedure collects the data and uploads the information to the Kaseya Server in the machine specific folders. Move the ticket to another stage, **CollectData** stage to pull the data and append it to the Ticket note section.

- 1. Download and Extract the contents of the ServiceDeskLAB.zip
- 2. Copy the Text2Html.exe file to VSASHAREDFILES\TextToHTMLConverter

Note: Create the TextToHTMLConverter first.

3. Copy the Kpermon.exe file to VSASHAREDFILES

Note: If you imported IT Service Delivery Kit and copied the Kperfmon.exe, then you can skip this step.

- 4. Under Agent Procedures Module, create a new folder under the Shared Cabinet and import the Agent Procedure (AgentProcedureKperfmonSD.XML) into the new shared folder.
- Under Service Desk Procedure Definitions Sub-Procedures, import the sub procedures to collect data and auto assigned categories. (Procedure Folder SDW.xml)
- 6. Edit the Auto Assign Category for Collecting Data procedure
 - Edit the Schedule procedure command to point to the correct Agent Procedure that you
 just imported.
- 7. Ensure that the correct references for Agent procedures and Sub procedures are performed
- 8. Edit the Identified Entry procedure to add a command step to execute the Sub-Procedure Auto Assign Category For Collecting Data

Edit the Escalation Procedure

- 9. Add a new stage CollectData set the escalation time for 2 minutes
- 10. Set the Stage Procedure
- 11. Leave the Entry Stage Procedure Blank

Review the Incoming Email and Alarm Settings

- 12. Alarm Mapping Procedure
- 13. Alarm Default Service Desk

Test Automation

- 14. Create a monitor set labeled "CPU Utilization" to test for CPU Performance
- 15. Monitor Processor Object, % Processor Counter, Total Instance.
- 16. Use Set threshold value very low to set off the alarm (i.e. 10%)
- 17. Assign the new Monitor set to an endpoint
- 18. Set the notification to Create Ticket
- 19. Review the Note Field and Escalation Time to check the progress

Note: Note there are delays in creating tickets from alarms. Data collected will list the process list into the Note fields.