

COP 3337
Programming II

Examination 3

Name: _____

SAMPLE

This exam has 4 additional pages with 4 questions.

1. [25 pts] Consider the following code:

```
class A
{
    abstract public void foo( );
}

class B extends A
{
    public B( )
        { this( "" ); }
    public B( String bm )
        { bmsg = bm; }

    public String foo( )
        { return bmsg; }

    private String bmsg;
}

class C extends B
{
    public C( String bm, String cm )
        { super( bm ); cmsg = cm; }
    public C( )
        { this( "", "" ); }

    public String foo( )
        { return cmsg + super.foo( ); }

    private String cmsg;
}
```

- (a) The compiler is complaining about the implementation of class A. What is the problem and the fix?
- (b) Assuming class A is repaired, which of the following lines of code are legal?

```
A obj = new A( );
A obj = new B( );
A obj = new C( );
B obj = new C( );
C obj = new B( );
```

- (c) What is the output of the following code?

```
A [ ] items = { new B( "foo" ), new C( "foo", "bar" ) };
System.out.println( items[ 0 ].foo( ) + items[ 1 ].foo( ) );
```

2. [25 pts] Answer each part TRUE or FALSE

- (a) All methods in an abstract class must be abstract.
- (b) An abstract class may provide constructors.
- (c) An abstract class can declare instance data.
- (d) An abstract class can extend another abstract class.
- (e) An abstract class can extend a non-abstract class.
- (f) An interface is an abstract class.
- (g) An interface can declare instance data.
- (h) Any method in an interface must be public.
- (i) All methods in an interface must be abstract.
- (j) An interface can have no methods at all.
- (k) An interface can extend another interface.
- (l) An interface can declare constructors.
- (m) A class may extend more than one class.
- (n) A class may implement more than one interface.
- (o) A class may extend one class and implement one interface.
- (p) An interface may implement some of its methods.
- (q) Methods in an interface may provide a `throws` list.
- (r) All methods in an interface must have a `void` return type.
- (s) `Throwable` is an interface.
- (t) `Object` is an abstract class.

3. [25 pts] Consider the following four classes: `WalkupTicket`, `AdvanceTicket`, `StudentAdvanceTicket`, and `Ticket`, which interact as follows:

- A `WalkupTicket` has a seat number and a `price` method that returns a `double`, but I am not telling you the exact price because you do not have to implement `WalkupTicket` on this exam.
- A `AdvanceTicket` has a seat number and a `price` method that returns a `double`, but I am not telling you what the `double` is because you do not have to implement `AdvanceTicket` on this exam.
- A `StudentAdvanceTicket` IS-A `AdvanceTicket`. If the `AdvanceTicket`'s `price` method returns d , then the `StudentAdvanceTicket`'s `price` method returns $d/2$. Needless to say, if the `AdvanceTicket`'s `price` method changes to return a different price, then the `StudentAdvanceTicket`'s `price` method will automatically be aware of this.
- A `Ticket` has a seat number. Also, a `WalkupTicket` IS-A `Ticket` and a `AdvanceTicket` IS-A `Ticket`. Tickets are not intended to be constructed directly by the client (but of course, a `Ticket` still has a constructor).

For this question, do the following (You do not have to provide any functionality beyond the specifications above.):

- (a) The four classes above form an inheritance hierarchy. Draw the hierarchy.
- (b) Implement `Ticket`.
- (c) Implement `StudentAdvanceTicket`.
- (d) Implement the following method:

```
// Return total price of all tickets
public static double totalPrice( Ticket [ ] arr )
{
```

4. [25 pts] Method `contains` takes an array of integers and returns true if there exists any item in the array that satisfies a specified condition.

For instance, in the following code fragment:

```
int [ ] input = { 100, 37, 49 };

boolean result1 = contains( input, new Prime( ) )
boolean result2 = contains( input, new PerfectSquare( ) )
boolean result3 = contains( input, new Negative( ) )
```

The intended result is that `result1` is `true` because 37 is a prime number, `result2` is `true` because both 100 and 49 are perfect squares, and `result3` is `false` because there are no negative numbers in the array.

Implement the following components:

- (a) An interface that will be used to specify the second parameter to `contains`.
- (b) The `contains` method (which is a static method).
- (c) The class `Negative`.